



2019 E-BIKES MOUNTAIN & URBAN/TREKKING

—
eRIDE



UPLIFYO





UR HORIZON

C O N T E N T

MTB	6
CONTESSA	26
JUNIOR	34
TREKKING	42
URBAN	52







WELCOME TO THE WORLD OF **eRIDE**


We are proud to introduce the eRIDE concept for 2019. The eRIDE concept is to e-bikes what RC is to racing: a complete program behind a strong segment. SCOTT e-bikes have been at the forefront of the market for almost a decade now and our aim is to keep the momentum going with even more innovation, technology and design. SCOTT eRIDE, uplift your horizon.



**eRIDE
ADVANCED
TECHNOLOGY**



**eRIDE
ULTIMATE RIDE
EXPERIENCE**



**eRIDE
UNIQUE DESIGN
INTEGRATION**





MTB

U P L I F T Y O U R H O R I Z O N



Here at SCOTT, we see e-MTB's as the perfect option for those looking to cover more ground in less time or for those who need a little extra boost. Each of our e-MTB's have been developed to match with the needs of an electric assist in terms of geometry and design. From nimble E-Hardtails to corner roosting, single track lovin' E-Trail bikes, we've got a rig for you.

eRIDE MTB LINE-UP



ASPECT eRIDE

The Aspect eRIDE features proven electric assist technology in a comfortable off-road package for hours of riding on your favorite trails and paths. Now with a Bosch integrated battery, enjoy hours of trail riding.

SPARK eRIDE

The SCOTT Spark eRIDE series is perfect if you like to go on long rides and challenge steep climbs without too much compromise on the downhill. Proven Shimano electric assist technology helps to create a capable off-road package.



STRIKE eRIDE

Looking to head off road? The Strike eRIDE is the definition of comfort for a full suspension e-MTB. Clever components and an efficient Bosch drive unit combine to give you a solid choice for any outing.

GENIUS eRIDE

The Genius eRIDE is the right choice for riders who want a capable and playful bike when the terrain gets rougher! With modern geometry and Shimano STEPS assistance you can clean any climb and tackle any descent.

SPARK eRIDE TECHNOLOGIES





01



02



03



04

With the Steps E8000 series, Shimano delivers next level component integration, connectivity and performance for a new experience in e-mountain biking. The brand new Spark eRIDE features a completely redesigned frame which is now compatible 27.5/29" wheels which together with the Steps System, brings e-MTB to a new level.

01 DRIVE UNIT

The Spark eRIDE range is assisted by Shimano Steps E8000 motor with a maximum power output of 70Nm and 250W. To meet MTB specific needs, a 504Wh battery equips the bikes. Shimano Steps comes with a compact and ergonomic display as well as the shift switch system on the handlebar. It provides all relevant data with full connectivity to Shimano DI2 components.

02 INTEGRATION

Integration was one of the main objectives for the design of the Spark eRIDE. SCOTT's Engineering Department worked on specific engine covers to provide a quality finish and full protection of both the drive unit and the battery regardless of riding conditions

03 TWINLOC – 3 BIKES IN 1

With 130/120mm of travel front and rear you are guaranteed to enjoy riding any kind of trail with confidence and comfort! Combined with our TwinLoc Suspension System, your bike will adapt to any terrain at the flick of your thumb. Put it in Descend mode to benefit from the full travel when riding downhill. Press once to go into Traction mode. This will close one air chamber off and immediately reduce the travel of your fork and shock: perfect for singletrail climbs or for smoother flat sections. One more click and you are in Lockout mode, where travel is reduced to the max to support your pedaling in the most effective way on smooth fire road climbs.

04 SPEED SENSOR

This patented custom SCOTT Speed Sensor is clean, simple, and perfectly integrated. We designed this to always give consistent readings to the system leading to better accuracy with respect to range and speed.

KEY BENEFITS

- INTEGRATED BATTERY & UNIT
- TWINLOC SUSPENSION SYSTEM
- NEW FOR 2019: ONE FRAME BOTH WHEELSIZES 27.5"/ 29"
- 130/120MM TRAVEL FRONT AND REAR
- KICKSTAND INTEGRATED MOUNT


100KM MAXIMUM RANGE OF ASSIST

5H RECHARGE TIME TO 100%

500WH BATTERY CAPACITY

25KM/H MAXIMUM SPEED ASSIST

SHIMANO STEPS E8000



With eco mode, in normal MTB conditions, +500m elevation, rider 80kg



SPARK eRIDE 910

Approx. weight 22.8 kg | 50.27 lbs



Spark eRIDE Alloy Frame, Alloy Frame / Virtual 4 link kinematic VLK, 27.5" and 29" compatible / geo adj. / Boost 148x12mm, 120mm travel / Shimano E-8000 Int. DT Battery, Tapered Headtube E2, Central Kickstand Mount



FOX 34 Float Perf. Elite 130mm Fork, TwinLoc Suspension System, FIT4 remote, 3-Modes with low Speed adj., 15x110mm QR axle, Lockout, FOX Nude EVOL, SCOTT custom w. travel & geo adj., 3 modes, Travel 120-85-Lockout



Shimano E-8000, 500Wh int. Battery



SRAM GX-NX Eagle 12 Speed
Shimano ZEE Disc Brakes



Maxxis Rekon Kevlar Tires



SPARK eRIDE 920

Approx. weight 23 kg | 50.71 lbs



Spark eRIDE Alloy Frame, Alloy Frame / Virtual 4 link kinematic VLK, 27.5" and 29" compatible / geo adj. / Boost 148x12mm, 120mm travel / Shimano E-8000 Int. DT Battery, Tapered Headtube E2, Central Kickstand Mount



FOX 34 Rhythm 130mm Fork, TwinLoc Suspension System, Grip3 remote, 3-Modes, 15x110mm QR axle, Lockout, FOX Float EVOL, 3 modes, DPS, 120mm travel



Shimano E-8000, 500Wh int. Battery



SRAM NX Eagle 12 Speed
Shimano BR-MT520 Disc Brakes



Maxxis Rekon Kevlar Tires



SPARK eRIDE 930

Approx. weight 23.1 kg | 50.93 lbs



Spark eRIDE Alloy Frame, Alloy Frame / Virtual 4 link kinematic VLK, 27.5" and 29" compatible / geo adj. / Boost 148x12mm, 120mm travel / Shimano E-8000 Int. DT Battery, Tapered Headtube E2, Central Kickstand Mount



RockShox Recon RL 130mm Fork, TwinLoc Suspension System, Tapered steerer, 15x110mm QR axle, Lockout, X-Fusion Nude, SCOTT custom w. travel & geo adj., 3 modes, Travel 120-85-Lockout



Shimano E-8000, 500Wh int. Battery



SRAM NX 11 Speed
Shimano BR-MT520 Disc Brakes



Maxxis Rekon Kevlar Tires





TWINLOC SUSPENSION SYSTEM

WHAT IS THE TWINLOC SUSPENSION SYSTEM:

The system works by connecting the shock, fork, and ultimately the frame via a handlebar remote. It allows the rider to control the bike's suspension performance and geometry simultaneously. With the remote, the user has the ability to choose from three ride modes, Descend, Traction Control and Lockout.



KEY BENEFITS

DESCENT


- OPTIMIZED FOR DOWNHILL
- FULL TRAVEL
- DOWNHILL GEOMETRY

TRACTION CONTROL

- OPTIMIZED FOR TECHNICAL CLIMBS AND SINGLETRACKS
- LESS TRAVEL
- PEDALING GEOMETRY

LOCKOUT

- OPTIMIZED FOR SMOOTH CLIMBS AND ROADS
- SAVE BATTERY
- PEDALING GEOMETRY



— SAG POSITION, NO TWINLOC

— SAG POSITION WITH TWINLOC IN TRACTION CONTROL



System featured on:
Genius eRIDE | Strike eRIDE | Spark eRIDE

SHIMANO eRIDE

STRIKE eRIDE TECHNOLOGIES



Looking to head off road? The all NEW Strike eRIDE might just be what you're looking for. Comfortable geometry, advanced system integration and clever components combine to give you a solid choice for any outing whether this is your first time on an E-bike, or whether you've ridden them for years.

01 DRIVE UNIT

The Strike eRIDE is assisted by the Bosch Performance CX system which delivers an output power of 250w and a maximum power stroke of 75Nm. An electronical control system with three sensors (force, cadence and speed) has been integrated for a natural feeling assist in the new e-MTB mode. The 500Wh Power Tube battery from Bosch has been totally redesigned to become one of the thinnest on the market. Switch assist mode in any condition with the new kiox display.

02 GEOMETRY

The Strike eRIDE has a geometry that was designed to be inviting for all riders. If you're looking to spend the day on the bike, you'll want to be in a position that doesn't cause discomfort, while still giving you the confidence to explore the trails in your area. With the Strike eRIDE, we've achieved just that. We want you to feel as if you've ridden the bike for years, even if it is just the first time you throw your leg over the top-tube.

03 SPEED SENSOR

This patented custom SCOTT Speed Sensor is clean, simple, and perfectly integrated. We designed this to always give consistent readings to the system leading to better accuracy with respect to range and speed.

04 INTEGRATION

Integration was one of the main objectives for the design of the Strike eRIDE. SCOTT's Engineering Department worked on specific engine covers to provide a quality finish and full protection of both the drive unit and the battery regardless of riding conditions.

KEY BENEFITS

- REMOVABLE BATTERY & UNIT
- TWINLOC SUSPENSION SYSTEM
- BOSCH KIOX AND PURION DISPLAY
- 140MM TRAVEL FRONT AND REAR
- ONE FRAME BOTH WHEELSIZES 27.5"/29"


100KM MAXIMUM RANGE
OF ASSIST

4H30 RECHARGE TIME
TO 100%

500WH BATTERY
CAPACITY

25KM/H MAXIMUM
SPEED ASSIST

BOSCH PERFORMANCE CX



With eco mode, in normal MTB conditions, +500m elevation, rider 80kg





STRIKE eRIDE 910 | 710

Approx. weight: check website



Strike eRIDE Alloy Frame, Alloy Frame / Virtual 4 link kinematic VLK, 27.5" and 29" compatible / geo adj. / Boost 148x12mm, 140mm travel / Bosch Performance CX / Int. DT Battery, Tapered Headtube E2, Central Kickstand Mount



FOX 34 Float Perf. Elite 140mm Fork, TwinLoc Suspension System, FIT4 remote, 3-Modes with low Speed adj., 15x110mm QR axle, Lockout, FOX Nude EVOL, SCOTT custom w. travel & geo adj., 3 modes, Travel 140-90-Lockout



Bosch CX, integr. 500Wh PowerTube



SRAM GX-NX Eagle 12 Speed
Shimano ZEE Disc Brakes



Maxxis Rekon Kevlar Tires





STRIKE eRIDE 920 | 720



Approx. weight: check website



Strike eRIDE Alloy Frame, Alloy Frame / Virtual 4 link kinematic VLK, 27.5" and 29" compatible / geo adj. / Boost 148x12mm, 140mm travel / Bosch Performance CX / Int. DT Battery, Tapered Headtube E2, Central Kickstand Mount



FOX 34 Rhythm 140mm Fork, TwinLoc Suspension System, Grip3 remote, 3-Modes, 15x110mm QR axle, Lockout, FOX Float EVOL, 3 modes, DPS, 140mm travel



Bosch CX, integr. 500Wh PowerTube



SRAM NX Eagle 12 Speed
Shimano BR-MT520 Disc Brakes



Maxxis Rekon Kevlar Tires



STRIKE eRIDE 930 | 730



Approx. weight: check website



Strike eRIDE Alloy Frame, Alloy Frame / Virtual 4 link kinematic VLK, 27.5" and 29" compatible / geo adj. / Boost 148x12mm, 140mm travel / Bosch Performance CX / Int. DT Battery, Tapered Headtube E2, Central Kickstand Mount



RockShox Recon RL 140mm Fork, TwinLoc Suspension System, Tapered steerer, 15x110mm QR axle, Lockout, X-Fusion Nude, SCOTT custom w. travel & geo adj., 3 modes, Travel 140-90-Lockout



Bosch CX, integr. 500Wh PowerTube



SRAM NX Eagle 12 Speed
Shimano BR-MT520 Disc Brakes



Maxxis Rekon Kevlar Tires

GENIUS eRIDE TECHNOLOGIES

100KM MAXIMUM
RANGE OF ASSIST

5H RECHARGE TIME
TO 100%

500WH BATTERY
CAPACITY

25KM/H MAXIMUM
SPEED ASSIST

With eco mode, in normal MTB conditions,
+500m elevation, rider 80kg

KEY BENEFITS

- INTEGRATED BATTERY & UNIT
 - TWINLOC SUSPENSION SYSTEM
 - ONE FRAME BOTH WHEELSIZES 27.5"/29"
 - 150MM TRAVEL FRONT AND REAR
 - KICKSTAND INTEGRATED MOUNT
-





GENIUS eRIDE 900 TUNED

29"

Approx. weight 23.6 kg | 52.03 lbs



Genius eRIDE Alloy Frame, Alloy Frame / Virtual 4 link kinematic VLK, 27.5" and 29" compatible / geo adj. / Boost 148x12mm, 150mm travel / Shimano E-8000 Int. DT Battery, Tapered Headtube E2, Central Kickstand Mount



FOX 36 Float Factory 150mm Fork, TwinLoc Suspension System, Kashima, FIT4 remote, 3-Modes with low Speed adj., 15x110mm QR axle, Lockout, FOX Nude TR EVOL, SCOTT custom w. travel & geo adj., 3 modes, Travel 150-100-Lockout



Shimano E-8000, 500Wh int. Battery



SRAM X01-GX Eagle 12 Speed
Shimano XT Disc Brakes



Schwalbe Kevlar Tires, DT Swiss H1825 Wheels



GENIUS eRIDE 910 | 710

29" 27.5"

Approx. weight 23.7 kg | 52.25 lbs



Genius eRIDE Alloy Frame, Alloy Frame / Virtual 4 link kinematic VLK, 27.5" and 29" compatible / geo adj. / Boost 148x12mm, 150mm travel / Shimano E-8000 Int. DT Battery, Tapered Headtube E2, Central Kickstand Mount



FOX 36 Float Perf. Elite 150mm Fork, TwinLoc Suspension System, FIT4 remote, 3-Modes with low Speed adj., 15x110mm QR axle, Lockout, FOX Nude T EVOL, SCOTT custom w. travel & geo adj., 3 modes, Travel 150-100-Lockout



Shimano E-8000, 500Wh int. Battery



SRAM NX Eagle 12 Speed
Shimano ZEE Disc Brakes



Schwalbe Kevlar Tires



GENIUS eRIDE 920 | 720

29" 27.5"

Approx. weight 23.8 kg | 52.47 lbs



Genius eRIDE Alloy Frame, Alloy Frame / Virtual 4 link kinematic VLK, 27.5" and 29" compatible / geo adj. / Boost 148x12mm, 150mm travel / Shimano E-8000 Int. DT Battery, Tapered Headtube E2, Central Kickstand Mount



FOX 36 Rhythm 150mm Fork, TwinLoc Suspension System, Grip3 remote, 3-Modes, 15x110mm QR axle, Lockout, FOX Float EVOL, 3 modes, DPS, 150mm travel



Shimano E-8000, 500Wh int. Battery



SRAM NX Eagle 12 Speed
Shimano BR-MT520 Disc Brakes



Schwalbe Kevlar Tires





ASPECT eRIDE 10

Approx. weight: check website



SIZE
27.5": S7
29": M9, L9, XL9



Aspect eRIDE Alloy Frame, Aspect eRIDE / 6061 Alloy, Tapered Headtube E2, custom butted tubing / internal cable routing, Bosch Performance CX / Int. DT Battery / Boost 148x12mm



FOX 34 Rhythm 120mm Fork, Grip3 remote, 3-Modes, 15x110mm QR axle, Lockout



Bosch CX, integr. 500Wh PowerTube



SRAM NX Eagle 12 Speed
Shimano BR-MT520 Disc Brakes



Maxxis Rekon Kevlar Tires



ASPECT eRIDE 20

Approx. weight: check website



SIZE
27.5": S7
29": M9, L9, XL9



Aspect eRIDE Alloy Frame, Aspect eRIDE / 6061 Alloy, Tapered Headtube E2, custom butted tubing / internal cable routing, Bosch Performance CX / Int. DT Battery / Boost 148x12mm



RockShox Judy 120mm Fork, Tapered steerer, 15x110mm QR axle, Lockout



Bosch CX, integr. 500Wh PowerTube



SRAM NX Eagle 12 Speed
Shimano BR-MT520 Disc Brakes



Maxxis Rekon Kevlar Tires



ASPECT eRIDE 30

Approx. weight: check website



SIZE
27.5": S7
29": M9, L9, XL9



Aspect eRIDE Alloy Frame, Aspect eRIDE / 6061 Alloy, Tapered Headtube E2, custom butted tubing / internal cable routing, Bosch Performance CX / Int. DT Battery / Boost 148x12mm



RockShox Judy 120mm Fork, Tapered steerer, 15x110mm QR axle, Lockout



Bosch CX, integr. 500Wh PowerTube



SRAM NX 11 Speed
Shimano BR-MT200 Disc Brakes



Kenda Tires



ASPECT eRIDE 40

Approx. weight: check website



SIZE
27.5": S7
29": M9, L9, XL9



Aspect eRIDE Alloy Frame, Aspect eRIDE / 6061 Alloy, Tapered Headtube E2, custom butted tubing / internal cable routing, Bosch Performance CX / Int. DT Battery / Boost 148x12mm



SR Suntour XCM34 120mm, Tapered steerer, 15x110mm QR axle, Lockout



Bosch CX, integr. 500Wh PowerTube



Shimano Deore 9 Speed
Shimano BR-MT200 Disc Brakes








Kenda Tires

TRAIL FLOW LINE



Designed with functional details,
comfortable and lightweight
to follow you up any mountain
and back down any trail.









contessa

U P L I F T Y O U R H O R I Z O N

 **eRIDE**

For some, an e-MTB is a solution to ride more trails in less time. For others, it's all the fun of mountain biking with an extra bit of "oomph" on the climbs. Some women say e-MTBs are perfect for commuting off-road, making the ride to work a bit more worth it. Whatever your motivation, our Contessa eRIDE line will surely put a grin on your face that won't easily come back off.

CONTESSA
STRIKE eRIDE
TECHNOLOGIES





01



02



03



04

The all NEW Contessa Strike eRIDE has a comfortable geometry, advanced system integration and clever components to give you a solid choice for any off-road tour. Whether you're on a family ride around the woods or looking for more ambitious rides in the mountains, the Contessa Strike eRIDE is an excellent choice for women looking for an e-MTB.

01 GEOMETRY – COMFORT TRAIL

The Contessa Strike eRIDE has a unisex geometry that was designed to be inviting for all riders, whether you've been riding for years or it's your first time on an MTB. If you're looking for an e-bike to explore the trails in your area without compromising on comfort, look no further. With the Contessa Strike eRIDE, we've achieved just that. We want you to feel as if you've ridden the bike for years, even if it is just the first time you sit on a saddle.

02 ASSISTANCE – BOSCH PERFORMANCE CX

The Contessa Strike eRIDE is assisted by the proven Bosch Performance CX system. You can choose from 5 assistance levels ranging from 50% to 300% of your personal contribution, or you can let the engine decide for you thanks to the new e-MTB mode which automatically adapts to a natural feeling assist. With an engine delivering an output power of 250w and a 500Wh Power Tube battery which has been totally redesigned to become one of the thinnest on the market, you'll be sure to always get where you want to be.

03 TWINLOC – 3 BIKES IN 1

With 140mm of travel front and rear you are guaranteed to enjoy riding any kind of trails with confidence and comfort! Combined with our TwinLoc Suspension System, your bike will adapt to any terrain at the flick of your thumb. Put it in Descend mode to benefit from the full travel when riding downhill. Press once to go into Traction mode. This will close one air chamber off and immediately reduce the travel of your fork and shock: perfect for singletrail climbs or for smoother flat sections. One more click and you are in Lockout mode, where travel is reduced to the max to support your pedaling in the most effective way on smooth fire road climbs.

04 TOUCHPOINTS – HANDLEBAR, GRIPS, SADDLE

Touchpoints on our Contessa eRIDE bikes have been thoughtfully designed and selected from our partner brand Syncros to meet women's expectations in terms of comfort and performance. The new Savona saddle was developed based on scientific research that highlights the specifications of the average woman's anatomy when it comes to a seated riding position. As for handlebars and stem, they have been selected to offer better comfort and handling.


100KM MAXIMUM RANGE OF ASSIST

4H30 RECHARGE TIME TO 100%

500WH BATTERY CAPACITY

25KM/H MAXIMUM SPEED ASSIST

BOSCH PERFORMANCE CX



In normal MTB conditions, rider 65kg



CONTESSA STRIKE eRIDE 710



Approx. weight: check website



Strike eRIDE Alloy Frame, Alloy Frame / Virtual 4 link kinematic VLK, 27.5" and 29" compatible / geo adj. / Boost 148x12mm, 140mm travel / Bosch Performance CX / Int. DT Battery, Tapered Headtube E2, Central Kickstand Mount



FOX 34 Rhythm 140mm Fork, TwinLoc Suspension System, Grip3 remote, 3-Modes, 15x110mm QR axle, Lockout, FOX Float EVOL, 3 modes, DPS, 140mm travel



Bosch CX, integr. 500Wh PowerTube



SRAM NX Eagle 12 Speed
Shimano BR-MT520 Disc Brakes



Maxxis Rekon Kevlar Tires



CONTESSA STRIKE eRIDE 720



Approx. weight: check website



Strike eRIDE Alloy Frame, Alloy Frame / Virtual 4 link kinematic VLK, 27.5" and 29" compatible / geo adj. / Boost 148x12mm, 140mm travel / Bosch Performance CX / Int. DT Battery, Tapered Headtube E2, Central Kickstand Mount



RockShox Recon RL 140mm Fork, TwinLoc Suspension System, Tapered steerer, 15x110mm QR axle, Lockout, X-Fusion Nude, SCOTT custom w. travel & geo adj., 3 modes, Travel 140-90-Lockout



Bosch CX, integr. 500Wh PowerTube



SRAM NX Eagle 12 Speed
Shimano BR-MT520 Disc Brakes



Maxxis Rekon Kevlar Tires





CONTESSA SPARK eRIDE 710

27.5"

Approx. weight 23.1 kg | 50.93 lbs



Spark eRIDE Alloy Frame, Alloy Frame / Virtual 4 link kinematic VLK, 27.5" and 29" compatible / geo adj. / Boost 148x12mm, 120mm travel / Shimano E-8000 Int. DT Battery, Tapered Headtube E2, Central Kickstand Mount



RockShox Recon RL 130mm Fork, TwinLoc Suspension System, Tapered steerer, 15x110mm QR axle, Lockout, X-Fusion Nude, SCOTT custom w. travel & geo adj., 3 modes, Travel 120-85-Lockout



Shimano E-8000, integr. 500Wh Battery



SRAM NX 11 Speed
Shimano BR-MT520 Disc Brakes



Maxxis Rekon Kevlar Tires

CONTESSA GENIUS eRIDE 710



Approx. weight 23.4 kg | 51.59 lbs



Genius eRIDE Alloy Frame, Alloy Frame / Virtual 4 link kinematic VLK, 27.5" and 29" compatible / geo adj. / Boost 148x12mm, 150mm travel / Shimano E-8000 Int. DT Battery, Tapered Headtube E2, Central Kickstand Mount



FOX 36 Float Perf. Elite 150mm Fork, TwinLoc Suspension System, FIT4 remote, 3-Modes with low Speed adj., 15x110mm QR axle, Lockout, FOX Nude T EVOL, SCOTT custom w. travel & geo adj., 3 modes, Travel 150-100-Lockout



Shimano E-8000, integr. 500Wh Battery



SRAM NX Eagle 12 Speed
Shimano ZEE Disc Brakes



Schwalbe Kevlar Tires



CONTESSA GENIUS eRIDE 720



Approx. weight 23.5 kg | 51.81 lbs



Genius eRIDE Alloy Frame, Alloy Frame / Virtual 4 link kinematic VLK, 27.5" and 29" compatible / geo adj. / Boost 148x12mm, 150mm travel / Shimano E-8000 Int. DT Battery, Tapered Headtube E2, Central Kickstand Mount



FOX 36 Rhythm 150mm Fork, TwinLoc Suspension System, Grip3 remote, 3-Modes, 15x110mm QR axle, Lockout, FOX Float EVOL, 3 modes, DPS, 150mm travel



Shimano E-8000, integr. 500Wh Battery



SRAM NX Eagle 12 Speed
Shimano BR-MT520 Disc Brakes



Schwalbe Kevlar Tires





CONTESSA ASPECT eRIDE 10

Approx. weight: check website

SIZE 27.5": S7
29": M9, L9



Aspect eRIDE Alloy Frame, Aspect eRIDE / 6061 Alloy, Tapered Headtube E2, custom butted tubing / internal cable routing, Bosch Performance CX / Int. DT Battery / Boost 148x12mm



RockShox Judy 120mm Fork, Tapered steerer, 15x110mm QR axle, Lockout



Bosch CX, integr. 500Wh PowerTube



SRAM NX Eagle 12 Speed
Shimano BR-MT520 Disc Brakes



Maxxis Rekon Kevlar Tires



CONTESSA ASPECT eRIDE 20

Approx. weight: check website

SIZE 27.5": S7
29": M9, L9



Aspect eRIDE Alloy Frame, Aspect eRIDE / 6061 Alloy, Tapered Headtube E2, custom butted tubing / internal cable routing, Bosch Performance CX / Int. DT Battery / Boost 148x12mm



RockShox Judy 120mm Fork, Tapered steerer, 15x110mm QR axle, Lockout



Bosch CX, integr. 500Wh Power Tube



SRAM NX 11 Speed
Shimano BR-MT200 Disc Brakes



Kenda Tires

JUNIOR
|





ROXTER eRIDE 26

Approx. weight: check website



Roxter eRIDE26 Alloy Frame, 26" one Size 36cm, Kickstand mount



SR Suntour XCR 32 / 100mm Fork



Bosch Active Plus 25km/h, 400WH, 2A



Shimano Alivio / Altus 9 Speed
Shimano Disc BR-MT200 Brakes



Kenda K1080 26x2.35 Tires



ROXTER eRIDE 24

Approx. weight: check website



Roxter eRIDE24 Alloy Frame, 24" one Size 32cm, Kickstand mount



SR Suntour XCT Plus / 70mm Fork



Bosch Active 20km/h, 400WH, 2A



Shimano Alivio / Altus 9 Speed
Shimano Disc BR-MT200 Brakes



Kenda K1080 26x2.6 Tires

SYNCROS ACCESSORIES

Design and intelligent integration is at the forefront of all Syncros products. From simple kickstands to our iS – integrated Storage range of bottle cages and saddle bags that ensure you have what you need to hand in the unfortunate event that you need it.

For 2019 our saddle range has expanded with the new Performance orientated Belcarra, Endurance orientated Tofino (men's) and Savona (women's) saddles. These all feature two threaded inserts underneath allowing for the mounting of accessories such as fenders, saddle bags and a GoPro mount.



Syncros Matchbox 16 Multi-Tool




Syncros Speed iS 200



Syncros Tofino



Syncros Guide
Multi-Tool kit



Syncros Matchbox
Tailor Cage HV1.5



Syncros
Boundary CO2





TREKKING /
URBAN

U P L I F T Y O U R H O R I Z O N



From cobbled streets to paths along the river our Urban and Trekking electric assists bikes combine security and versatility. The bikes come with clever solutions like racks, fenders and lights to get you through the city faster and more comfortably than ever before.

eRIDE URBAN/TREKKING LINE-UP



SUB eRIDE

The Sub eRIDE models provide outstanding comfort. Thanks to the wide saddle and the high cockpit, never feel uncomfortable on your bike. The drop of the downtube also makes getting on or off your bike as easy as can be.

SILENCE eRIDE

The SCOTT Silence eRIDE is our most advanced bike in terms of technology, from the accessories to the frame, everything makes this bike unique. With the Silence eRIDE, add some style to your commute for optimal efficiency in the city.



AXIS eRIDE

With the SCOTT Axis eRIDE, charge up the battery, set your course or activity, head out and don't look back.

Want to take some extra kit with you? No problem, load up the rack for the ride and you're good to go explore.



AXIS eRIDE EVO

The SCOTT Axis eRIDE Evo features loads of components for a great day touring around on your E-Bike. This full suspension e-Trekking comes equipped with clever racking solutions and comfortable geometry to go wherever the path leads you, and back!

TREKKING





AXIS eRIDE EVO

Approx. weight: check website



Axis EVO Alloy Frame, Alloy 29" / 120mm travel Frame



SR Suntour XCR34 Air 120mm Fork, TwinLoc Suspension System, X-Fusion Nude, SCOTT 3 modes, 120-85-0mm Shock



Shimano E8000, integr. 500Wh Battery



SRAM NX EAGLE 12 Speed
Shimano 4 Piston Disc Brakes



Schwalbe G-One Allround Perf. Tires,

AXIS eRIDE TECHNOLOGIES



The SCOTT Axis eRIDE features loads of components for a great day touring around on your E-Bike. This e-MTB comes equipped with a 500Wh Bosch Power Tube Battery, clever racking solutions and comfortable geometry to go wherever your path might lead, and back!

01 DRIVE UNIT

The Axis eRIDE is assisted by the Bosch Performance CX system which delivers an output power of 250w and a maximum power stroke of 75Nm. An electronical control system with three sensors: force, cadence and speed has been integrated for a natural feeling assist in the new e-MTB mode. The 500Wh Power Tube battery from Bosch has been totally redesigned to become one of the thinnest on the market. Switch assist mode in any condition with the Kiox display.

02 GEOMETRY

The Axis eRIDE was developed to make you WANT to ride your bike. Should you be on the road, on a gravel path next to a river, or exploring your local mellow forest roads, the Axis eRIDE's geometry will guarantee comfort and total enjoyment. Never have an excuse to not go explore the great outdoors.

03 RACK CARRIER & FENDERS

The Axis eRIDE is equipped with a Racktime carrier, the benchmark on the market in terms of adaptability and durability. You can charge up to 25kg thanks to the stiff alloy profile. Feel free to add side bags or any accessories.

04 INTEGRATION

Integration was one of the main objectives for the design of the Axis eRIDE. SCOTT's Engineering Department worked on specific engine covers to provide a quality finish and full protection of both the drive unit and the battery regardless of riding conditions

KEY BENEFITS

- INTEGRATED BATTERY & UNIT
- TWINLOC SUSPENSION SYSTEM
- RACKTIME CARRIER & FENDERS
- 100MM TRAVEL FRONT
- KICKSTAND INTEGRATED MOUNT


100KM MAXIMUM RANGE
OF ASSIST

4H30 RECHARGE TIME
TO 100%



500WH BATTERY
CAPACITY

25KM/H MAXIMUM
SPEED ASSIST

BOSCH PERFORMANCE CX



With eco mode, in normal MTB conditions, +500m elevation, rider 80kg





AXIS eRIDE 10 MEN

Approx. weight: check website



SIZE

27.5": S7
29": M9, L9, XL9



Axis Alloy Frame, Alloy / S: 27.5" / M-XL 29"



SR Suntour XCR34 Air Fork



Bosch CX, integr. 500Wh PowerTube



SRAM NX EAGLE 12 Speed
Shimano SLX Disc Brakes



Schwalbe G-One Allround Perf. Tires





AXIS eRIDE 20 MEN

Approx. weight: check website



SIZE

27.5": S7
29": M9, L9, XL9



Axis Alloy Frame, Alloy / S: 27.5" / M-XL 29"



SR Suntour XCM 34 Coil Fork



Bosch CX, integr. 500Wh PowerTube



SRAM NX 11 Speed
Shimano BR-MT400 Disc Brakes



Schwalbe G-One Allround Perf. Tires



AXIS eRIDE 20 LADY

Approx. weight: check website



SIZE

27.5": S7
29": M9, L9



Axis Alloy Frame, Alloy / S: 27.5" / M-L 29"



SR Suntour XCM 34 Coil Fork



Bosch CX, integr. 500Wh PowerTube



SRAM NX 11 Speed
Shimano BR-MT400 Disc Brakes



Schwalbe G-One Allround Perf. Tires



SUB CROSS eRIDE 10 MEN

Approx. weight 23.9 kg | 52.69 lbs



Sub eRIDE 6061 Alloy, 700c Trekking Geometry



Suntour NEX-E25, 63mm Fork, Lock Out, 30mm Stanchion Tube, QR, Tpr



Bosch CX, integr. 500Wh PowerTube



SRAM NX 11 Speed
Shimano Disc BR-MT200 Brakes



Schwalbe Smart Sam 700x47c



SUB CROSS eRIDE 10 LADY

Approx. weight 23.9 kg | 52.69 lbs



Sub eRIDE 6061 Alloy, 700c Trekking Geometry



Suntour NEX-E25, 63mm Fork, Lock Out, 30mm Stanchion Tube, QR, Tpr



Bosch CX, integr. 500Wh PowerTube



SRAM NX 11 Speed
Shimano Disc BR-MT 200 Brakes



Schwalbe Smart Sam 700x47c



SUB CROSS eRIDE 20 MEN

Approx. weight 23.8 kg | 52.47 lbs



Sub eRIDE 6061 Alloy, 700c Trekking Geometry



Suntour NEX-E25, 63mm Fork, Lock Out, 30mm Stanchion Tube, QR, Tpr



Bosch Active Plus, integr. 500Wh PowerTube



Shimano Deore 10 Speed
Shimano Disc BR-MT200 Brakes



Schwalbe Smart Sam 700x47c





SUB CROSS eRIDE 20 LADY

Approx. weight 23.8 kg | 52.47 lbs



Sub eRIDE 6061 Alloy, 700c Trekking Geometry



Suntour NEX-E25, 63mm Fork, Lock Out, 30mm Stanchion Tube, QR, Tpr



Bosch Active Plus, integr. 500Wh PowerTube



Shimano Deore 10 Speed
Shimano Disc BR-MT200 Brakes



Schwalbe Smart Sam 700x47c



SUB CROSS eRIDE 30 MEN

Approx. weight 24.1 kg | 53.13 lbs



Sub eRIDE 6061 Alloy, 700c Trekking Geometry



Suntour NEX-E25, 63mm Fork, 30mm Stanchion Tube, QR, Tpr



Bosch Active, integr. 400Wh PowerPack



Shimano Acera 3000 9 Speed
Shimano Disc BR-MT200 Brakes



Schwalbe Smart Sam 700x47c



SUB CROSS eRIDE 30 LADY

Approx. weight 24.1 kg | 53.13 lbs



Sub eRIDE 6061 Alloy, 700c Trekking Geometry



Suntour NEX-E25, 63mm Fork, 30mm Stanchion Tube, QR, Tpr



Bosch Active, integr. 400Wh PowerPack



Shimano Acera 3000 9 Speed
Shimano Disc BR-MT200 Brakes



Schwalbe Smart Sam 700x47c



E - T E C H B O S C H

The Bosch Performance CX engine offers high performance combined with reliability. For 2018 the system has been updated with a dedicated display for better integration.

100KM MAXIMUM RANGE
OF ASSIST

4H30 RECHARGE
TIME

500WH BATTERY
CAPACITY





BATTERY

The new Bosch Power Tube has been made to perfectly fit inside the downtube without compromising the design. 500WH which can be charged in 4.30 hours (50% in 2.30 hours). Easy to pop out, the battery is maintained with a safety mechanism to keep the battery safe regardless the situation.




DRIVE UNIT

The drive unit complies with all road regulations. For 2019, SCOTT engineers have totally rethought the position of the motor for optimizing the design but as well the mass repartition. A 32-bit new generation processor analyzes more than 1000 sensor measurements per second to continually adapt the delivered power.



CONTROL PANEL


New in 2019, the Bosch Kiox display. A 1.9 inch colour display installed on the stem with a specific holder. The Kiox is waterproof, is easy to switch on/off and comes with a bluetooth connection.



With eco mode, in normal MTB conditions, +500m elevation, rider 80kg

U R B A N
—





SILENCE eRIDE 10 MEN

Approx. weight: [check website](#)



Silence eRIDE 6061 custom Alloy



RockShox Paragon Gold Air Fork



Bosch CX, integr. 500Wh PowerTube



Shimano XT / SLX 11 Speed
Shimano 4 Piston Disc Brakes



Schwalbe Marathon GT Tires

SILENCE eRIDE 10 LADY

Approx. weight: check website



Silence eRIDE 6061 custom Alloy



RockShox Paragon Gold Air Fork



Bosch CX, integr. 500Wh PowerTube



Shimano XT / SLX 11 Speed
Shimano 4 Piston Disc Brakes



Schwalbe Marathon GT Tires



SILENCE eRIDE 20 MEN

Approx. weight: check website



Silence eRIDE 6061 custom Alloy



SR Suntour XCR 32 60mm Coil LO Fork



Bosch CX, integr. 500Wh PowerTube



SRAM NX 11 Speed
Shimano BR-MT400 Disc Brakes



Schwalbe Super Moto Raceguard Tires



SILENCE eRIDE 20 LADY

Approx. weight: check website



Silence eRIDE 6061 custom Alloy



SR Suntour XCR 32 60mm Coil LO Fork



Bosch CX, integr. 500Wh PowerTube



SRAM NX 11 Speed
Shimano BR-MT400 Disc Brakes



Schwalbe Super Moto Raceguard Tires



SUB INTEGRATION



New magnetic charging plug

The fully integrated cockpit with adjustable stem allows for a comfortable riding position. The powerful front light illuminates what's ahead of you while the rear light is intelligently positioned to make sure you are always visible. The Snap it rack is firmly fixed, so feel free to clip and remove side bags or a basket in a few seconds on it to carry whatever you want to bring along. A lock and a kickstand mount are integrated onto the frame which makes these bikes ready for any endeavor in the city.



Integrated lock, ART approved



Lights, no extra battery needed, they work off the battery of the drive unit.





Saddle Royal Essenza, comfort grips

SUB SPORT eRIDE MEN

Approx. weight 25.5 kg | 56.22 lbs



Sub eRIDE 6061 Alloy, 700c Urban Geometry



Suntour NEX-E25, 63mm Fork, Lock Out, 30mm Stanchion Tube, QR



Bosch CX, integr. 500Wh PowerTube



SRAM NX 11 Speed
Shimano Disc BR-MT200 Brakes



Schwalbe Energizer Plus 700x50c



SUB SPORT eRIDE LADY

Approx. weight 25.5 kg | 56.22 lbs



Sub eRIDE 6061 Alloy, 700c Urban Geometry



Suntour NEX-E25, 63mm Fork, Lock Out, 30mm Stanchion Tube, QR



Bosch CX, integr. 500Wh PowerTube



SRAM NX 11 Speed
Shimano Disc BR-MT200 Brakes



Schwalbe Energizer Plus 700x50c





SUB TOUR eRIDE 10 MEN

Approx. weight 25.6 kg | 56.44 lbs



Sub eRIDE 6061 Alloy, 700c Urban Geometry



Suntour NEX-E25, 63mm Fork, Lock Out, 30mm Stanchion Tube, QR



Bosch Active Plus, integr. 500Wh PowerTube



Shimano Deore 10 Speed
Shimano Disc BR-MT200 Brakes



Schwalbe Energizer Plus 700x50c



SUB TOUR eRIDE 10 LADY

Approx. weight 25.6 kg | 56.44 lbs



Sub eRIDE 6061 Alloy, 700c Urban Geometry



Suntour NEX-E25, 63mm Fork, Lock Out, 30mm Stanchion Tube, QR



Bosch Active Plus, integr. 500Wh PowerTube



Shimano Deore 10 Speed
Shimano Disc Br-MT200 Brakes



Schwalbe Energizer Plus 700x50c



SUB TOUR eRIDE 10 UNISEX

Approx. weight 25 kg | 55.12 lbs



Sub eRIDE 6061 Alloy, 700c Urban Geometry



Suntour NEX-E25, 63mm Fork, Lock Out, 30mm Stanchion Tube, QR



Bosch Active Plus, ext. 500Wh Powerpack



Shimano Deore 10 Speed
Shimano Disc BR-MT200 Brakes



Schwalbe Energizer Plus 700x50c





SUB TOUR eRIDE 20 MEN

Approx. weight 24.9 kg | 54.90 lbs



Sub eRIDE 6061 Alloy, 700c Urban Geometry



Suntour NEX-E25, 63mm Fork, Lock Out, 30mm Stanchion Tube, QR



Bosch Active Plus, integr. 400Wh PowerPack



Shimano Alivio 4000 9 Speed
Shimano Disc BR-MT200 Brakes



Schwalbe Energizer Plus 700x50c



SUB TOUR eRIDE 20 LADY

Approx. weight 24.9 kg | 54.90 lbs



Sub eRIDE 6061 Alloy, 700c Urban Geometry



Suntour NEX-E25, 63mm Fork, Lock Out, 30mm Stanchion Tube, QR



Bosch Active Plus, integr. 400Wh PowerPack



Shimano Alivio 4000 9 Speed
Shimano Disc BR-MT200 Brakes



Schwalbe Energizer Plus 700x50c



SUB TOUR eRIDE 20 UNISEX

Approx. weight 24.3 kg | 53.57 lbs



Sub eRIDE 6061 Alloy, 700c Urban Geometry



Suntour NEX-E25, 63mm Fork, Lock Out, 30mm Stanchion Tube, QR



Bosch Active Plus, ext. 400Wh PowerPack



Shimano Alivio 4000 9 Speed
Shimano Disc BR-MT200 Brakes





Schwalbe Energizer Plus 700x50c



U R B A N C O N C E P T

Whether you're off to work or off to happy-hour, our urban inspired gear will make sure that you get to your final destination ready for action.







SUB ACTIVE eRIDE MEN

Approx. weight 24.9 kg | 54.90 lbs



Sub eRIDE 6061 Alloy, 700c Urban Geometry



Suntour NEX-E25, 63mm Fork, 30mm Stanchion Tube, QR, Tapered



Bosch Active, integr. 400Wh PowerPack



Shimano Acera 3000 9 Speed
Shimano Disc BR-MT200 Brakes



Schwalbe Energizer Plus 700x50c





SUB ACTIVE eRIDE LADY

Approx. weight 24.9 kg | 54.90 lbs



Sub eRIDE 6061 Alloy, 700c Urban Geometry



Suntour NEX-E25, 63mm Fork, 30mm Stanchion Tube, QR, Tapered



Bosch Active, integr. 400Wh PowerPack



Shimano Acera 3000 9 Speed
Shimano Disc BR-MT200 Brakes



Schwalbe Energizer Plus 700x50c



SUB ACTIVE eRIDE UNISEX SEAT T.

Approx. weight 24.3 kg | 53.57 lbs



Sub eRIDE 6061 Alloy, 700c Urban Geometry



Suntour NEX-E25, 63mm Fork, 30mm Stanchion Tube, QR



Bosch Active, ext. 400Wh PowerPack



Shimano Acera 3000 9 Speed
Shimano Disc BR-MT200 Brakes



Schwalbe Energizer Plus 700x50c



SUB ACTIVE eRIDE UNISEX RACK T.

Approx. weight 22.9 kg | 50.49 lbs



Sub eRIDE 6061 Alloy, 700c Urban Geometry



Suntour NEX-E25, 63mm Fork, 30mm Stanchion Tube, QR



Bosch Active, ext. 400Wh PowerPack



Shimano Acera 3000 9 Speed
Shimano Disc BR-MT200 Brakes



Schwalbe Energizer Plus 700x50c





WWW.FACEBOOK.COM/SCOTT.SPORTS



WWW.TWITTER.COM/BIKEONSCOTT



WWW.INSTAGRAM.COM/BIKEONSCOTT

PRODUCT PHOTOS

Fred Leiser | BL Vision | Thomas Stöckli |
Fanny Pillonel


ACTION PHOTOS

Gaudenz Danuser | Remi Fabregue |
Grant Gunderson | Simon Ricklin | Jochen Haar |
Julian Oswald | Eric Palmer | Markus Greber

CATALOG OFFERING
2019 MTB



CATALOG OFFERING
2019 ROAD



CATALOG OFFERING
2019 URBAN





2019

E-BIKES

MOUNTAIN & URBAN/TREKKING

All rights reserved ©2018 SCOTT Sports SA

Printed and bound in Poland for
Europ'Imprim Sàrl
CH-2022 Bevaix

The information contained in this catalog is in various languages but only the English version will be relevant in case of conflict.
Although SCOTT Sports SA has published all information contained in this catalog after careful examination, SCOTT Sports SA assumes no liability for being up-to-date, correct, reliable or complete. SCOTT Sports SA reserves the right to change the content of this catalog, particularly colors, materials and specifications, at any time without prior notice. Any liability shall be exempted. Products shown may not be available in all regions, please check with your local SCOTT retailer for availability.

EDITOR

SCOTT SPORTS SA
Route du Crochet 17
1762 Givisiez
Switzerland

Authorized Representative: Beat Zaugg, Pascal Ducrot

Tel: +41 (0)26 460 16 16
Fax: +41 (0)26 460 16 00
webmaster.marketing@scott-sports.com
www.scott-sports.com

Commercial register: Fribourg
UID/VAT: CHE-103.535.982

